
From: Stoick, Paul T CIV NAVFAC SW
Sent: Tuesday, February 19, 2019 4:08 PM
To: Liscio, Matthew P CIV USN NAVSEA DET RASO VA (US); 'Henderson, Kim/SDO'
Subject: RE: Draft Final Parcel G WP RTCs
Attachments: Regulator RTCs_Draft Final Parcel G WP_010319 - Clean_MPL-PS 2-19-2019.DOCX
Signed By: paul.stoick@fe.navy.mil

Matt/Kim,

Just had an over-the-shoulder review with Lawrence/Derek/Thomas. They had a few changes - tracked in attached. One was related to the Firebrick comment. They agree, pathway doesn't exist, but thought a compromise on having the TU below the building site analyzed for Th-232 since it's already being analyzed as part of the building site, but not the adjacent TU. Matt, when you have a chance let's discuss if that makes sense both as a compromise and technically.

Kim - there are also some other comments they wanted to change, so when you have a chance give me a call and we can discuss.

Thanks!

V/r,
Paul Stoick, P.E.
Environmental Engineer
Remedial Project Manager - Hunters Point
☎ 619-524-6041 | paul.stoick@navy.mil

NAVFAC Southwest - Navy BRAC PMO West
33000 Nixie Way
Bldg 50, 2nd Floor
San Diego, CA 92147

<https://bracpmo.navy.mil/> | <http://www.navfac.navy.mil/go/erb>

-----Original Message-----

From: Liscio, Matthew P CIV SEA 04, NAVSEA DET RASO
<matthew.liscio@navy.mil>
Sent: Monday, February 11, 2019 7:24 AM
To: Stoick, Paul T CIV NAVFAC SW <paul.stoick@navy.mil>; Henderson, Kim/SDO
<Kimberly.Henderson@jacobs.com>
Subject: RE: Draft Final Parcel G WP RTCs

So I'm changing the format of this discussion for my own sanity. I figure email is easier than having a conversation via comments in the document :-)

-Previous comments:

(b) (5)

Kim: Agreed. Paul, please let us know if you want us to respond as Matt indicates to refute the pathway.

(b) (5)

-Continuing the discussion:

(b) (5)

-Matt

-----Original Message-----

From: Stoick, Paul T CIV NAVFAC SW <paul.stoick@navy.mil>
Sent: Monday, January 28, 2019 7:36 PM
To: Henderson, Kim/SDO <Kimberly.Henderson@jacobs.com>
Cc: Liscio, Matthew P CIV SEA 04, NAVSEA DET RASO <matthew.liscio@navy.mil>
Subject: RE: Draft Final Parcel G WP RTCs

Kim,

Not until just now - thanks for the check-in! Straight-forward, and concur. I did add to the firebrick comment, and just want to make sure we're prepared if someone thinks there could be residual firebrick debris at the former building site as a potential ROC.

Matt, once you're settled back in, we can check and make sure we're good.

Thanks!

V/r,
Paul

-----Original Message-----

From: Henderson, Kim/SDO <Kimberly.Henderson@jacobs.com>
Sent: Monday, January 28, 2019 4:13 PM
To: Stoick, Paul T CIV NAVFAC SW <paul.stoick@navy.mil>

Subject: [Non-DoD Source] FW: Draft Final Parcel G WP RTCs

Hi Paul,
Just checking in to see if you have had a chance to look at the changes/responses to Matt's comments and if you need anything else?
Thanks!
Kim

-----Original Message-----

From: Henderson, Kim/SDO
Sent: Friday, January 18, 2019 1:47 PM
To: Stoick, Paul T CIV NAVFAC SW <paul.stoick@navy.mil>
Subject: FW: Draft Final Parcel G WP RTCs

Hi Paul,
I took a look at Matt's comments and replied to them/revised the RTCs in the attached. I also updated the attached redlined work plan and SAP as applicable.
Thanks!
Kim

-----Original Message-----

From: Liscio, Matthew P CIV SEA 04, NAVSEA DET RASO
<matthew.liscio@navy.mil>
Sent: Friday, January 18, 2019 8:12 AM
To: Stoick, Paul T CIV NAVFAC SW <paul.stoick@navy.mil>
Cc: Henderson, Kim/SDO <Kimberly.Henderson@jacobs.com>
Subject: [EXTERNAL] RE: Draft Final Parcel G WP RTCs

I have a few comments on the RTCs (attached).

-----Original Message-----

From: Stoick, Paul T CIV NAVFAC SW <paul.stoick@navy.mil>
Sent: Tuesday, January 8, 2019 1:47 PM
To: Liscio, Matthew P CIV SEA 04, NAVSEA DET RASO <matthew.liscio@navy.mil>
Cc: Edwards, Zachary L CIV SEA 04 04N <zachary.edwards@navy.mil>
Subject: FW: Draft Final Parcel G WP RTCs

Matt,

Attached the draft RTCs in response to EPA/DTSC/CDPH's draft final work plan comments. The comment of most interest in EPA specific comment #5.

Let me know if you want to go over these -

Thanks!

V/r,

Paul Stoick, P.E.
Environmental Engineer
Remedial Project Manager - Hunters Point ☎ 619-524-6041 | paul.stoick@navy.

mil

NAVFAC Southwest - Navy BRAC PMO West
33000 Nixie Way
Bldg 50, 2nd Floor
San Diego, CA 92147

<https://bracpmo.navy.mil/> | <http://www.navfac.navy.mil/go/erb>

-----Original Message-----

From: Stoick, Paul T CIV NAVFAC SW
Sent: Monday, January 7, 2019 4:23 PM
To: Lansdale, Lawrence L CIV NAVFAC HQ, BRAC PMO
<lawrence.lansdale@navy.mil>; Macchiarella, Thomas L JR CIV NAVFAC HQ, BRAC PMO <thomas.macchiarella@navy.mil>; Robinson, Derek J CIV NAVFAC HQ, BRAC PMO <derek.j.robinson1@navy.mil>; Banister, Stephen D CIV NAVFAC SW <stephen.banister@navy.mil>
Subject: Draft Final Parcel G WP RTCs

Attached are the RTCs (Clean and Tracked Changes) that I handed out today, along with the red-line finals. The red-line does not include the RTC language from EPA comment number 5 yet.

Working up the action memo concession/implication attachment -

Thanks!

V/r,

Paul Stoick, P.E.

Environmental Engineer

Remedial Project Manager - Hunters Point

☎ 619-524-6041 | paul.stoick@navy.mil

NAVFAC Southwest - Navy BRAC PMO West

33000 Nixie Way

Bldg 50, 2nd Floor

San Diego, CA 92147

<https://bracpmo.navy.mil/> | <http://www.navfac.navy.mil/go/erb>

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)

(b) (5)